

SAFETY DATA SHEET

UREA SOLUTION - 35U

Section 1 – Identification

Product	Urea Solution - 35U (35% Urea Solution, carbamide, carbonyl diamide)	Recommended Use: Used in the production of fertilizers, animal feed, SCR for NOx control systems and adhesives.
Manufacturer	TradeMark Nitrogen Corp.	
Address	1216 Old Hopewell Road, Tampa, FL 33619	
Phone	(813) 626-1181 (800) 452-3107	
24 Hour Emergency Contact	Chemtrec (800) 424-9300	

Section 2 – Hazard Identification

Hazard	Product is not hazardous under normal conditions.
--------	---

Section 3 – Composition

Ingredients	Component	CAS. No.	Percent by Weight
	Urea (CO(NH ₂) ₂)	57-13-6	35%
	Ammonia (NH ₃)	7664-41-7	0.03%
	Biuret (H ₂ NC(O)NHC(O)NH ₂)	108-19-0	0.175%
	Water (H ₂ O)	7732-18-5	Balance

Section 4 – First Aid Measures

Inhalation	If inhaled: Remove person to fresh air and keep comfortable for breathing. Provide artificial respiration if necessary. Seek medical attention if necessary.
Skin Contact	If on skin (or hair): Take off all contaminated clothing. Rinse skin with soap and water for at least 15 minutes.
Eye Contact	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention if irritation persists.
Ingestion	If swallowed: Do NOT induce vomiting. Drink large amounts of water (or milk or egg whites). Never give anything by mouth to an unconscious person. Seek medical attention.
Acute Health Hazards	Ingestion may cause corrosive damage to the digestive tract.
Chronic Health Hazards	No known long term effects

Section 5 – Fire Fighting Measures

Suitable Extinguishing Techniques & Equipment	This product is an aqueous solution. It is non-flammable and presents no fire hazard.
Chemical hazards From Fire	Thermal decomposition of residue will produce ammonia and carbon dioxide gases.
Special Fire Fighting Procedures	Use extinguishing agent most appropriate to surrounding materials.
NFPA Rating	Health - 1 (Slight), Fire - 0 (Least), Reactivity - 0 (Least)



Section 6 – Accidental Release Measure

Personal Precautions	Avoid splashing. Prevent exposure to spilled material with the use of proper PPE.
Protective Equipment	PPE should include gloves, goggles, face shield and level C protective suit.
Containment	Control the flow of product using dikes of soil, sand bags or other commercially available inert sorbent socks or booms.
In Case of Spill	Absorb product with inert absorbent. Avoid splashing or spraying. Contain and pick up spill in diked area. Prevent discharge to sewers or water ways. If uncontaminated, recover and re-use.



TradeMark Nitrogen Corp.

1216 Old Hopewell Road
Tampa, Florida 33619 USA
www.trademarknitrogen.com
800 452 3107
813 626 1181

Section 7 – Safe Handling and Storage

Precautions for Safe Handling and Storage	Store in a well ventilated cool dry place.
Incompatibility	Nitric acid, hypochlorites, sodium nitrite, nitrosyl perchlorate, gallium perchlorate and phosphorus pentachloride

Section 8 – Exposure Controls / Personal Protection

Exposure Limits	Component	Permissible Exposure Limit	Threshold Limit Value	Short Term Exposure Limit	Immediately Dangerous to Life or Health
	Urea (CO(NH ₂) ₂)	Not Established	Not Established	Not Established	Not Established
	Ammonia (NH ₃)	50 ppm	25 ppm	35 ppm	500 ppm
	Biuret (C ₂ H ₅ N ₃ O ₂)	Not Established	Not Established	Not Established	Not Established
	Water (H ₂ O)	Not Established	Not Established	Not Established	Not Established

Engineering Controls	Local or general exhaust. Eyewash facilities should be available.
Personal Protective Equipment	Eyes - Chemical safety goggles or safety glasses. Hands - Impervious gloves Respiratory - None required under normal conditions. NIOSH approved respirator if there is a mist of the product.



Gloves



Goggles

or



Safety Glasses

Section 9 – Physical and Chemical Properties

Appearance and Odor	Colorless liquid may have a slight ammonia odor.		
Boiling Point	220°F at 1 atmosphere	Specific Gravity	1.109 at 60°F
Freezing Point	N/A	Molecular Weight	60.056
Vapor Pressure	< 1 at 100°F	Water Reactive	N/A
Gallons per Ton	216.22	Evaporative Rate	N/A
Weight per gallon	9.25 pounds at 60°F	pH	6.5 - 8.5
Solubility in water	Completely soluble	Salt-Out Temp	19°F
Storage Temp	To prevent hydrolysis keep below 100°F		
Flash Point	Not Flammable	Auto Ignition Temp	Not Flammable
		Flammability Limits	N/A
		LEL	N/A
		UEL	N/A

Section 10 – Stability and Reactivity

Reactivity	Product is not reactive under normal conditions.
Stability	Product is stable under normal conditions.
Hazardous Reactions	Hazardous polymerization will not occur.
Conditions to Avoid	Elevated temperatures may cause container to rupture.
Incompatible Materials	Nitric acid, hypochlorites, sodium nitrite, nitrosyl perchlorate, sodium nitrite, gallium perchlorate and phosphorus pentachloride
Hazardous Decomposition Products	Extreme heat may cause decomposition to ammonia and carbon dioxide and possibly nitrogen oxides.

Section 11 – Toxicology Information

Routes of Exposure	Inhalation, ingestion or skin absorption
Symptoms and Signs of Exposure	Eyes & Skin mild irritant. Inhalation may irritate or burn nose, throat and lungs. Coughing, nausea, headaches and weakness are possible. Ingestion may cause irritation to the digestive tract.



TradeMark Nitrogen Corp.

1216 Old Hopewell Road
Tampa, Florida 33619 USA
www.trademarknitrogen.com
800 452 3107
813 626 1181

Section 11 – Toxicology Information Continued

Long Term Effects	Prolonged skin contact may result in dermatitis (inflammation and redness of skin). Repeated ingestion of small amounts may cause weakness, depression, headaches, neurological effects and mental impairment.
Toxicity	No limits have been set for this material.
Carcinogen	The International Agency for Research on Cancer has not classified urea for its carcinogenic potential (IARC 1987).

Section 12 – Ecological Information

Water	High concentrations are not toxic to fish or other aquatic organisms. High concentrations may encourage excessive algae growth.
-------	---

Section 13 – Disposal Considerations

Waste	Urea is not considered a hazardous waste. Disposal must be done in accordance with local, state and federal environmental regulations. Place waste in an appropriate container with correct labeling.
-------	---

Section 14 – Transport Information

Shipping	This material is not hazardous as defined by 49 CFR 172.101 by the US Department of Transportation
----------	--

Section 15 – Regulatory Information

United States - SARA Hazard Category	This product has been reviewed according to the EPA Hazard Categories promulgated under Sections 311 and 312 of Title III of the Superfund Amendments and Reauthorization Act (SARA) and is considered, under applicable definitions, to meet the following categories:
--------------------------------------	---

Fire - No	Pressure - No	Reactive - No	Acute - No	Chronic - No
-----------	---------------	---------------	------------	--------------

Ammonia nitrate is on the TSCA inventory list.

SARA Title III Information	This product contains the following substances subject to the reporting requirements of Title III (EPCRA) of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:
----------------------------	--

Chemical	CAS No.	CERCLA RQ (pounds)	SARA Reporting		
			302	304	313
Urea	57-13-6	N/A	N/A	N/A	N/A

CERCLA / Superfund, 40 CFR Part 117, 302	If this product contains components subject to substances designated as CERCLA reportable Quantity (RQ) Substances, it will be designated in the above table with the RQ value in pounds. If there is a release of RQ Substance to the environment, notification to the National Response Center, Washington DC (800-424-8802) is required.
--	---

Section 16 – Other Information

Date of Revision	May 2014 TSCA statement revised. January 2013 revision prepared in accordance with 29 CFR 1910.1200 Appendix D to meet Global Harmonization Standards
------------------	---

Disclaimer	The information contained in this SDS refers only to the specific material designated and does not relate to any process or use with any other materials. This information is furnished free of charge and is based on data believed to be accurate and reliable as of the date hereof. It is intended for use by persons possessing technical knowledge at their own discretion and risk. Since actual use is beyond our control, no warranty, expressed or implied, and no liability is assumed by TradeMark Nitrogen Corp. in conjunction with the use of this information. Nothing herein is to be construed as a recommendation to infringe any patents. TradeMark Nitrogen Corp. assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.
------------	---



TradeMark Nitrogen Corp.

1216 Old Hopewell Road
Tampa, Florida 33619 USA
www.trademarknitrogen.com
800 452 3107
813 626 1181